

Demystifying Health Metrics

List of References Featured in Metric Extraction Table

- Aerts, R., Honnay, O. & Van Nieuwenhuyse, A. (2018). Biodiversity and human health: mechanisms and evidence of the positive health effects of diversity in nature and green spaces. *British Medical Bulletin*, 127:5–22
- Agay-Shay, K., Peled, A., Crespo, A. V., Peretz, C., Amitai, Y., Linn, S., Nieuwenhuijsen, M. J. (2014). Green spaces and adverse pregnancy outcomes. *Journal of Occupational and Environmental Medicine*, 71: 562-569.
- Alcock, I., White, M. P., Lovell, R., Higgins, S. L., Osborne, N. J., Husk, K. & Wheeler, B. W. (2015). What accounts for 'England's green and pleasant land'? A panel data analysis of mental health and land cover types in rural England. *Landscape and Urban Planning*, 142:38–46. <https://doi.org/10.1016/j.landurbplan.2015.05.008>
- Alcock, I., White, M. P., Wheeler, B. W., Fleming, L. E., & Depledge, M. H. (2014). Longitudinal effects on mental health of moving to greener and less green urban areas. *Environmental Science & Technology*, 48(2):1247–55. Epub 2013/12/11. <https://doi.org/10.1021/es403688w> PMID: 24320055.
- Amoly, E., Dadvand, P., Forns, J., López-Vicente, M., Basagaña, X., Julvez, J., Alvarez-Pedrerol, M., Nieuwenhuijsen, M.J. & Sunyer, J. (2014). Green and blue spaces and behavioral development in Barcelona schoolchildren: the BREATHE project. *Environmental Health Perspectives*, 122(12); 1351–1358.
- Annerstedt, M., Ostergren, P. O., Björk, J., Grahn, P., Skärback, E. & Währborg, P. (2012). Green qualities in the neighbourhood and mental health-results from a longitudinal cohort study in Southern Sweden. *European Journal of Public Health*, 22:275–6.
- Annerstedt, M. & Währborg, P. (2011). Nature-assisted therapy: Systematic review of controlled and observational studies. *Scandinavian Journal of Public Health*, 39: 371–388.
- Araya, R., Montgomery, A., Rojas, G., Fritsch, R., Solis, J., Signorelli, A. & Lewis, G. (2007). Common mental disorders and the built environment in Santiago, Chile. *The British Journal of Psychiatry: the journal of mental science*, 190: 394–401.
- Arbillaga-Etxarri, A., Torrent-Pallicer, J., Gimeno-Santos, E., Barberan-Garcia, A., Delgado, A., Balcells, E., Garcia-Aymerich, J. (2016). Validation of walking trails for the urban training tm of chronic obstructive pulmonary disease patients. *PloS One* 11:e0146705.
- Armitano, C. N., Clapham, E. D., Lamont, L. S. & Audette, J. G. (2015). Benefits of surfing for children with disabilities: a pilot study. *Palaestra*, 29: 31–34.

- Astell-Burt, T., Feng, X. & Kolt, G. S. (2013). Does access to neighbourhood green space promote a healthy duration of sleep? Novel findings from a cross-sectional study of 259 319 Australians. *BMJ Open*, 3(8): e003094.
- Astell-Burt, T., Feng, X. & Kolt, G. S. (2014a). Neighbourhood green space and the odds of having skin cancer: Multilevel evidence of survey data from 267 072 Australians. *Journal of Epidemiology and Community Health*, 68:370-374.
- Astell-Burt, T., Feng, X. & Kolt, G. S. (2014b). Is neighborhood green space associated with a lower risk of type 2 diabetes evidence from 267,072 Australians. *Diabetes Care*, 37: 197-201.
- Ball, K., Timperio, A., Salmon, J., Giles-Corti, B., Roberts, R. & Crawford, D. (2007). Personal, social and environmental determinants of educational inequalities in walking: a multilevel study. *Journal of Epidemiology and Community Health*, 61: 108–114.
- Balseviciene, B., Sinkariova, L., Grazuleviciene, R., Andrusaityte, S., Uzdanaviciute, I., Dedele, A. & Nieuwenhuijsen, M. J. (2014). Impact of residential greenness on preschool children's emotional and behavioral problems. *International Journal of Environmental Research and Public Health*, 11:6757–70.
- Banke-Thomas, A. O., Madaj, B., Charles, A. & van den Broek, N. (2015). Social Return on Investment (SROI) methodology to account for value for money of public health interventions: a systematic review. *BMC Public Health*, 15:582 DOI 10.1186/s12889-015-1935-7.
- Barton, J., Sandercock, G., Pretty, J. & Wood, C..(2015). The effect of playground- and nature-based playtime interventions on physical activity and self-esteem in UK school children. *International Journal of Environmental Health Research*, 25:196–206.
- Bergovec, M., Reiner, Z., Milicić, D. & Vražić, H. (2008). Differences in risk factors for coronary heart disease in patients from continental and Mediterranean regions of Croatia. *Wiener Klinische Wochenschrift*, 120: 684–692.
- Berman, M. G., Jonides, J. & Kaplan, S. (2008). The cognitive benefits of interacting with nature. *Psychological Science*, 19:1207-1211.
- Berto, R. (2005). Exposure to restorative environments helps restore attentional capacity. *Journal of Environmental Psychology*, 25, 249-259.
- Besenyi, G. M., Kaczynski, A. T., Stanis, S. A. W., Bergstrom, R. D., Lightner, J. S. & Hipp, J. A. (2014). Planning for health: A community-based spatial analysis of park availability and chronic disease across the lifespan. *Health and Place*, 27: 102-105.
- Beyer, K.M.M., Kaltenbach, A., Szabo, A., Bogar, S., Nieto, F.J. & Malecki, K.M. (2014). Exposure to neighborhood green space and mental health: Evidence from the survey of the health of Wisconsin. *International Journal of Environmental Research and Public Health*, 11: 3453–3472.

- Bezold, C. P., Banay, R. F., Coull, B. A., Hart, J. E., James, P., Kubzansky, L. D.,...Laden, F. (2017). The Association Between Natural Environments and Depressive Symptoms in Adolescents Living in the United States. *The Journal of Adolescent Health: the official publication of the Society for Adolescent Medicine*, 62, 488–495.
- Bezold, C. P., Banay, R. F., Coull, B. A., Hart, J. E., James, P., Kubzansky, L. D.,...Laden, F. (2018). The Relationship between Surrounding Greenness in Childhood and Adolescence and Depressive Symptoms in Adolescence and Early Adulthood. *Annals of Epidemiology*, 28, 213–219.
- Bijnens, E., Zeegers, M. P., Gielen, M., Kicinski M, Hageman GJ, Pachen D,...Nawrot, T. S. (2015). Lower placental telomere length may be attributed to maternal residential traffic exposure; a twin study. *Environment International*, 79: 1-7.
- Bowen, D.J., Neill, J. T. & Crisp, S. J. R. (2016). Wilderness adventure therapy effects on the mental health of youth participants. *Evaluation and Program Planning*, 58:49–59.
- Bratman, G. N., Hamilton, J. P. & Daily, G. C. (2012). The impacts of nature experience on human cognitive function and mental health. *Annals of the New York Academy of Sciences*, 1249: 118-136.
- Britton, E., Kinderman, G., Domegan, C. & Carlin. C. (2018). Blue care: a systematic review of blue space interventions for health and wellbeing. *Health Promotion International*, 1-20, doi: 10.1093/heapro/day103.
- Brodman, K., Erdmann, A., Lorge, I., Wolff, H. & Broadbent, T. (1949). The Cornell Medical Index. An adjunct to medical interview. *Journal of the American Medical Association*, 140: 530–534.
- Brown, S. C., Lombard, J., Wang, K., Byrne, M. M., Toro, M., Plater-Zyberk, E.,...Szapocznik, J. (2016). Neighborhood greenness and chronic health conditions in medicare beneficiaries. *American Journal of Preventative Medicine*, 51(1): 78-89.
- Burkart, K., Meier, F., Schneider, A., Breitner, S., Canario, P., Alcoforado, M. J...Endlicher, W. (2016). Modification of heat-related mortality in an elderly urban population by vegetation (urban green) and proximity to water (urban blue): Evidence from Lisbon, Portugal. *Environmental Health Perspectives*, 124:927-934.
- Calogiuri, G., Evensen, K., Weydahl, A., Andersson, K., Patil, G., Ihlebæk, C. & Raanaas, R. K. (2016). Green exercise as a workplace intervention to reduce job stress. Results from a pilot study. *Work*, 53(1): 99-111.
- Cammack, C., Waliczek, T. M. & Zajicek, J. M. (2002). The Green Brigade: The psychological effects of a community-based horticultural program on the self-development characteristics of juvenile offenders. *HortTechnology*, 12: 82–6.
- Capurso, M. & Borsci, S. (2013). Effects of a tall ship sail training experience on adolescents' self-concept. *International Journal of Educational Research*, 58, 15–24

- Carrus, G., Scopelliti, M., Laforteza, R., Coalngelo, F., Ferrini, F., Salbitano, M.,...Sanesi, G. (2015). Go greener, feel better? The positive effects of biodiversity on the well-being of individuals visiting urban and peri-urban green areas. *Landscape and Urban Planning*, 134; 221-228.
- Cavanaugh, L. K. & Rademacher, S. B. (2014). How a SURFing social skills curriculum can impact children with autism spectrum disorders. *Journal of the International Association of Special Education*, 15: 27–35.
- Civitello, D. J., Cohen, J., Fatima, H., Halstead, N. T., Liriano, J. McMahon, T. A.,...Rohr, J. R.(2015). Biodiversity inhibits parasites: broad evidence for the dilution effect. *Proceedings of the National Academy of Sciences of the United States of America*, 112(28):8667–71
- Clapham, E. D., Armitano, C. N., Lamont, L. S. & Audette, J. G. (2014). The ocean as a unique therapeutic environment: developing a surfing program. *Journal of Physical Education, Recreation and Dance*, 85: 8–14.
- Colpus, S. and Taylor, J. (2014). Ride every challenge: the impact of surfing on 100 young people facing personal and emotional challenges. *British Journal of Sports Medicine*, 48: 1581.
- Coutts, C. J. & Horner, M. W. (2015). Nature and death: An individual level analysis of the relationship between biophilic environments and premature mortality in Florida. *Spatial Analysis in Health Geography*, 295.
- Coutts, C., Horner, M. & Chapin, T. (2010). Using geographical information system to model the effects of green space accessibility on mortality in Florida. *Geocarto International*,25(6):471-484.
- Cox, D. T. C., Shanahan, D. F., Hudson, H. L., Plummer, K. E., Siriwardena, G. M, Fuller, R....Gaston, K. J.. (2017). Doses of neighborhood nature: the benefits for mental health of living with nature. *Bioscience*, 67(2):147–55.
- Cracknell, D., White, M. P., Pahl, S., Nichols, W.J. & Depledge, M. H. (2015). Marine biota and psychological well-being: A preliminary examination of dose–response effects in an aquarium setting. *Environment and Behavior*,48(10): 1242–1269.
- Cusack, L., Larkin, A., Carozza, S. & Hystad, P. (2017). Associations between residential greenness and birth outcomes across Texas. *Environmental Research*, 152: 88-95.
- Dadvand, P., Sunyer, J., Basagaña, X., Ballester, F., Lertxundi, A., Fernández-Somoano, A....Nieuwenhuijsen M. J.(2012). Surrounding greenness and pregnancy outcomes in four Spanish birth cohorts. *Environ Health Perspectives*, 120(10):1481-1487.
- Dadvand, P., Villanueva, C. M, Font-Ribera, L., Martinez, D., Basagaña, X., Belmonte, J....Nieuwenhuijsen, M J.(2014). Risks and benefits of green spaces for children: A

- cross-sectional study of associations with sedentary behavior, obesity, asthma, and allergy. *Environmental Health Perspectives*, 122: 1329-1335.
- Dadvand, P., Nieuwenhuijsen, M. J., Esnaola, M., Forns, J., Basagaña, X., Alvarez-Pedrerol, M. (2015). Green spaces and cognitive development in primary schoolchildren. *Proceedings of the National Academy of Science of the United States of America*, 112:7937-7942.
- Dadvand, P., Tischer, C., Estarlich, M., Llop, S., Dalmau-Bueno, A., Lopez-Vicente, M.,...Sunyer, J. (2017). Lifelong Residential Exposure to Green Space and Attention: A Population-Based Prospective Study. *Environmental Health Perspectives*, 125(9), 97016.
- Dallimer, M., Irvine, K. N., Skinner, A. M. J., Davies, Z. G., Rouquette, J. R., Maltby, L. L... & Gaston, K. J. (2012). Biodiversity and the feel-good factor: Understanding associations between self-reported human well-being and species richness. *BioScience*, 62, 47-55.
- Detweiler, M. B., Murphy, P. F., Kim, K. Y., Myers, L. C. & Ashai, A. (2009) Scheduled medications and falls in dementia patients utilizing a wander garden. *American Journal of Alzheimer's Disease and Other Dementias* 24, 322–332.
- Detweiler, M. B., Murphy, P. F., Myers, L. C. & Kim, K. Y. (2008). Does a wander garden influence inappropriate behaviours in dementia residents? *American Journal of Alzheimer's Disease and Other Dementias*, 23, 31–45.
- de Vries, S., Verheij, R. A., Groenewegen, P. P. & Spreeuwenberg, P. (2003). Natural environments - healthy environments?: An exploratory analysis of the relationship between green space and health. *Environment and Planning A.*, 35(10): 1717-1731.
- Donovan, G. H., Gatzilis, D., Longley, I. & Douwes, J. (2018). Vegetation diversity protects against childhood asthma: results from a large New Zealand birth cohort. *Nature Plants*, 4:358–64.
- Donovan, G. H., Michael, Y. L., Gatzilis, D., 'tMannetje, A., & Douwes, J. (2019). Association between exposure to the natural environment, rurality, and attention-deficit hyperactivity disorder in children in New Zealand: a linkage study. *Lancet Planet Health*; 3: e226–34
- Dronavalli, M. & Thompson, S. C. (2015). A systematic review of measurement tools of health and well-being for evaluating community-based interventions. *Journal of Epidemiology and Community Health*, 69: 805-815.
- Duncan, D.T., Piras, G., Dunn, E.C., Johnson, R.M., Melly, S.J. & Molnar, B.E. (2013). The built environment and depressive symptoms among urban youth: A spatial regression study. *Spatial and Spatiotemporal Epidemiology*, 5: 11–25.

- Edwards, N.J., Giles-Corti, B., Larson, A.& Beesley, B. (2014). The effect of proximity on park and beach use and physical activity among rural adolescents. *Journal of Physical Activity and Health*, 11: 977–984.
- Ege, M. J., Mayer, M., Normand, A. C., Genuneit, J., Cookson, W. O., Braun-Fahrländer, C.,...Wouters, I. (2011). Exposure to environmental microorganisms and childhood asthma. *The New England Journal of Medicine*, 364: 701–9.
- Elliott, L. R., White, M. P., Sarran, C., Grellier, J., Garrett, J. K., Scoccimarro, E.,..., Fleming, L. E. (2019).The effects of meteorological conditions and daylight on nature-based recreational physical activity in England. *Urban Forestry & Urban Greening*, 42, 39-50.
- Elliott, L.R., White, M.P., Taylor, A.H., &Herbert, S. (2015). Energy expenditure on recreational visits to different natural environments. *Social Science and Medicine*, 139: 53–60. <https://doi.org/10.1016/j.socscimed.2015.06.038>.
- Everson, K. R., Jones, S. A., Holliday, K. M., Cohen, D. A. & McKenzie, T. L. (2016). Park characteristics, use, and physical activity: A review of studies using SOPARC. *Preventative Medicine*, 86: 153-166.
- Ezenwa, V.O., Godsey, M. S., King, R. J.& Guptill, G. C. (2006). Avian diversity and West Nile virus: testing associations between biodiversity and infectious disease risk. *Proceedings of the Royal Society B: Biological Sciences*, 273(1582): 109–17.
- Fan, Y., Das, K.V. & Chen, Q. (2011). Neighborhood green, social support, physical activity, and stress: Assessing the cumulative impact. *Health and Place*, 17: 1202–1211.
- Fleischmann, D., Michalewicz, B., Stedje-Larsen, E., Neff, J., Murphy, J., Browning, K.,...,Stetler, C. (2011). Surf medicine: Surfing as a means of therapy for combat-related polytrauma. *Journal of Prosthetics and Orthotics*, 23: 27–29
- Flouri, E., Midouhas, E. & Joshi, H. (2014). The role of urban neighbourhood green space in children's emotional and behavioural resilience. *Journal of Environmental Psychology*, 40: 179–86.
- Francis, J., Wood, L.J.,Knuiman, M. &Giles-Corti, B. (2012) Quality or quantity? Exploring the relationship between Public Open Space attributes and mental health in Perth, Western Australia. *Social Science and Medicine*, 74: 1570–1577.
- Fuller, R. A., Irvine, K. N., Devine-Wright, P., Warren, P. H. & Gaston, K. J. (2007). Psychological benefits of green space increase with biodiversity. *Biology Letters*, 3: 390-394.
- Furuyashiki, A., Tabuchi, K., Norikoshi, K., Kobayashi, T. & Oriyama, S. (2019). A comparative study of the physiological and psychological effects of forest bathing (Shinrin-yoku) on working age people with and without depressive tendencies. *Environmental Health and Preventative Medicine*, 24: 46, <https://doi.org/10.1186/s12199-019-0800-1>

- Gascon, M., Triguero-Mas, M., Martinez, D., Dadvand, P., Forns, J., Plasència, A. & Nieuwenhuijsen, M. J. (2015). Mental health benefits of long-term exposure to residential green and blue spaces: A systematic review. *International Journal of Environmental Research and Public Health*, 12: 4354-4379.
- Gascon, M., Triguero-Mas, M., Martinez, D., Dadvand, P., Rojas-Rueda, D., Plasència, A. & Nieuwenhuijsen, M. J. (2016). Residential green spaces and mortality: A systematic review. *Environmental International*, 86: 60-67.
- Gascon, M., Zijlema, W., Vert, C., White, M. P. & Nieuwenhuijsen, M. J. (2017). Outdoor blue spaces, human health and well-being: A systematic review of quantitative studies. *International Journal of Hygiene and Environmental Health*, 220: 1207-1221.
- Gigliotti, C. M. & Jarrott, S. E. (2005). Effects of horticultural therapy on engagement and affect. *Canadian Journal on Aging-La Revue Canadienne Du Vieillissement*, 24, 367-377.
- Gigliotti, C. M., Jarrott, S. & Yorgason, J. (2004). Harvesting health: effects of three types of horticultural therapy activities for persons with dementia. *Dementia: The International Journal of Social Research and Practice*, 3, 161–180.
- Gilmer, M.J., Harrell, J.S., Miles, M.S.& Hepworth, J.T. (2003). Youth characteristics and contextual variables influencing physical activity in young adolescents of parents with premature coronary heart disease. *Journal of Pediatric Nursing*, 18: 159–168.
- Godfrey, C., Devine-Wright, H. & Taylor, J. (2015.) The positive impact of structured surfing courses on the wellbeing of vulnerable young people. *Community Practitioner*, 88(1), 26-29.
- Gonzalez, M. T. G. & Kirkevold, M. (2014). Benefits of sensory garden and horticultural activities in dementia care: a modified scoping review. *Journal of Clinical Nursing*, 23, 2698–2715.
- Greenwood, A. & Gatersleben, B. (2016). Let's go outside! Environmental restoration amongst adolescents and the impact of friends and phones. *Journal of Environmental Psychology*, 48: 131–139.
- Grigsby-Toussaint, D.S., Turi, K.N., Krupa, M., Williams, N. J., Pandi-Perumal, S. R. & Jean-Louis, G. (2015). Sleep insufficiency and the natural environment: Results from the us behavioral risk factor surveillance system survey. *Preventative Medicine*, 78: 78-84.
- Grocott, A. C. & Hunter, J. A. (2009). Increases in global and domain specific self-esteem following a 10 day developmental voyage. *Social Psychology of Education*, 12: 443–445.
- Gutiérrez-Zornoza, M., Sánchez-López, M., García-Hermoso, A., González-García, A., Chillón, P. & Martínez-Vizcaíno, V. (2014). Active commuting to school, weight status,

- and cardiometabolic risk in children from rural areas: The Cuenca study. *Health Education and Behavior*, 42: 231-239.
- Halonen, J.I., Kivimäki, M., Pentti, J., Stenholm, S., Kawachi, I., Subramanian, S.V.&Vahtera, J. (2014). Green and blue areas as predictors of overweight and obesity in an 8-year follow-up study. *Obesity*, 22(8):1910-1917.
- Hamrick, P. N., Aldighieri, S., Machado, G. Leonel, D. G., Vilca, L. M, Uriona, S. & Schneider, M. C.(2017). Geographic patterns and environmental factors associated with human yellow fever presence in the Americas. *PLoS Neglected Tropical Diseases*, 11:e0005897.
- Hanski, I., von Hertzen, L., Fyhrquist, N., Koskinen, K., Torppa, K., Laatikainen, T....Tari Haahtela, T(2012). Environmental biodiversity, human microbiota, and allergy are interrelated. *Proceedings of the National Academy of Sciences of the United States of America*, 109(21): 8334-8339.
- Hartig, T., Evans, G. W., Jamner, L. D., David, D. S. & Gärling, T. (2003). Tracking restoration in natural and urban field settings. *Journal of Environmental Psychology*, 23: 109-123.
- Hartig, T., Mitchell, R., De Vries, S. & Frumkin, H. (2014). Nature and health. *Annual review of public health*, 35:207–28. <https://doi.org/10.1146/annurev-publhealth-032013-182443> PMID: 24387090
- Hayhurst, J., Hunter, J. A., Kafka, S. & Boyes, M. (2015). Enhancing resilience in youth through a 10-day developmental voyage. *Journal of Adventure Education & Outdoor Learning*, 15(1): 40-52.
- Hignett, A., White, M. P., Pahl, S., Jenkin, R. & Froy, M. L. (2017). Evaluation of a surfing programme designed to increase personal well-being and connectedness to the natural environment among at risk young people. *Journal of Adventure Education and Outdoor Learning*, 18: 53–69.
- Houlden, V., Weich, S., & Jarvis, S. (2017) A cross-sectional analysis of green space prevalence and mental wellbeing in England. *BMC public health*, 17(1):460. <https://doi.org/10.1186/s12889-017-4401-x> PMID: 28693451
- Houlden, V., Weich, S., Porto de Albuquerque, J., Jarvis, S. & Rees, K. (2018). The relationship between greenspace and the mental wellbeing of adults: A systematic review. *PLoS One*, 13, e0203000 <https://doi.org/10.1371/journal.pone.0203000>.
- Howell, A.J., Passmore, H.-A., & Buro, K. (2013). Meaning in nature: meaning in life as a mediator of the relationship between nature connectedness and well-being. *Journal of Happiness Studies*, 14(6):1681–96.

- Hu, Z., Liebens, J. & K. R. Rao (2008). Linking stroke mortality with air pollution, income, and greenness in northwest Florida: an ecological geographical study. *International Journal of Health Geographics*, 7: 20.
- Humpel, N., Owen, N., Iverson, D., Leslie, E. & Bauman, A., (2004a). Perceived environment attributes, residential location, and walking for particular purposes. *American Journal of Preventative Medicine*, 26: 119–125.
- Humpel, N., Owen, N., Leslie, E., Marshall, A. L., Bauman, A. E. & Sallis, J.F. (2004b). Associations of location and perceived environmental attributes with walking in neighborhoods. *American Journal of Health Promotion*, 18: 239–242.
- Huynh, Q., Craig, W., Janssen, I., Pickett, W.(2013). Exposure to public natural space as a protective factor for emotional well-being among young people in Canada. *BMC Public Health*, 13: 407.
- Jarrott, S. E. & Gigliotti, C. M. (2010). Comparing responses to horticultural-based and traditional activities in dementia care programs. *American Journal of Alzheimer's Disease and Other Dementias*, 25, 657–665.
- Jarrott, S. E., Kwack, H. R. & Relf, D. (2002). An observational assessment of a dementia specific horticultural therapy program. *HortTechnology*, 12, 403–410.
- Jia, B. B., Yang, Z. X., Mao, G. X., Lyu, Y. D. Wen, X . L., Xu, W. H.,...Wang, G. F. (2016). Health Effect of Forest Bathing Trip on Elderly Patients with Chronic Obstructive Pulmonary Disease. *Biomedical and Environmental Sciences*, 29(3): 212-218.
- Johnson, J., Gooding, P. A., Wood, A. M. & Tarrier, N. (2010). Resilience as positive coping appraisals: Testing the schematic appraisals model of suicide (SAMS). *Behaviour Research and Therapy*, 48: 179–186
- Jonker, M. F., van Lenthe, F. J., Donkers, B., Mackenbach, J. P. & Burdorf, A. (2014). The effect of urban green on small-area (healthy) life expectancy. *Journal of Epidemiology and Community Health*, 68: 999-1002.
- Kabisch, N., Haase, D. & Annerstedt van den Bosch, M. (2016). Adding natural areas to social indicators of intra-urban health inequalities among children: A case study from Berlin, Germany. *International Journal of Environmental Research and Public Health*, 13(8): 783.
- Karusisi, N., Bean, K., Oppert, J.-M., Pannier, B. & Chaix, B. (2012). Multiple dimensions of residential environments, neighborhood experiences, and jogging behavior in the RECORD Study. *Preventative Medicine*, 55: 50–55.
- Kihal-Talantikite, W., Padilla, C. M., Lalloue, B., Gelormini, M., Zmirou-Navier, D. & Deguen, S. (2013). Green space, social inequalities and neonatal mortality in France. *BMC Pregnancy Childbirth*, 13:191.

- Kim, J.-H., Lee, C. & Sohn, W. (2016). Urban Natural Environments, Obesity, and Health-Related Quality of Life among Hispanic Children Living in Inner-City Neighborhoods. *International Journal of Environmental Research and Public Health*, 13, 121.
- Kim, H.-J., Min, J.-Y., Kim, H.-J. & Min, K.-B. (2016). Parks and green areas are associated with decreased risk for hyperlipidemia. *International Journal of Environmental Research and Public Health*, 13, 1205.
- Kosfeld, M., Heinrichs, M., Zak, P. J., Fischbacher, U. & Fehr, E. (2005). Oxytocin increases trust in humans. *Nature*, 435: 673–676.
- Kuo, F.E. & W.C. Sullivan. 2001. Aggression and violence in the inner city. *Environment and Behavior*, 33: 543–571.
- Lachowycz, K. & Jones, A. P. (2014). Does walking explain associations between access to greenspace and lower mortality? *Social Science & Medicine*, 107: 9-17.
- Larson, L. R., Jennings, V. & Cloutier, S. A. (2016). Public parks and wellbeing in urban areas of the United States. *PLoS One*, 11:e0153211.
- Laurent O, Wu J, Li L, Milesi C. 2013. Green spaces and pregnancy outcomes in southern California. *Health & Place*, 24:190-195.
- Lee, J.-Y. & Lee, D.-C. (2014). Cardiac and pulmonary benefits of forest walking versus city walking in elderly women: A randomised, controlled, open-label trial. *European Journal of Integrative Medicine*, 6(1): 5-11.
- Levine, R. S., Heden, D. L., Heden, M. W., Hemer, G. L., Mead, D. G. & Kitron, U. D. (2017). Avian species diversity and transmission of West Nile virus in Atlanta, Georgia. *Parasites & Vectors*, 10:62.
- Li, Q., Morimoto, K., Kobayashi, M., Inagaki, H., Katsumata, M., Hirata, Y., Miyazaki, Y. (2008). A forest bathing trip increases human natural killer activity and expression of anti-cancer proteins in female subjects. *Journal of Biological Regulators and Homeostatic Agents*, 22: 45-55.
- Li, Q., Kobayashi, M., Kumeda, S., Ochiai, T., Miura, T., Kagawa, T., Kawada, T. (2016). Effects of forest bathing on cardiovascular and metabolic parameters in middle-aged males. *Evidence-based Complementary and Alternative Medicine*, 2587381.
- Li, Q., Kobayashi, M., Wakayama, Y., Inagaki, H., Katsumata, M., Hirata, Y., Miyazaki, Y. (2009). Effect of phytoncide from trees on human natural killer cell function. *International Journal of Immunopathology and Pharmacology*, 22(4):951-9.
- Li, Q., Otsuka, T., Kobayashi, M., Wakayama, Y., Inagaki, H., Katsumata, M., Kagawa, T. (2011). Acute effects of walking in forest environments on cardiovascular and metabolic parameters. *European Journal of Applied Physiology*, 111: 2845-2853.
- Lovasi, G. S., O'Neil-Dunne, J. P. M., Lu, J. W. T., Sheehan, D., Perzanowski, M. S., MacFaden, S. W., Rundle, A. (2013). Urban Tree Canopy and Asthma, Wheeze,

- Rhinitis, and Allergic Sensitization to Tree Pollen in a New York City Birth Cohort. *Environmental Health Perspectives*, 121(4): 494-500.
- Luck, G. W., Davidson, P., Boxall, D. & Smallbone, L. (2011). Relations between urban bird and plant communities and human well-being and connection to nature. *Conservation Biology*, 25: 816–826.
- Maas, J., Van Dillen, S. M., Verheij, R. A. & Groenewegen, P. P. (2009). Social contacts as a possible mechanism behind the relation between green space and health. *Health & Place*, 15(2):586–95.
- MacKerron, G. & Mourato, S. (2013). Happiness is greater in natural environments. *Global Environmental Change*, 23: 992–1000.
- Mao, G., Cao, Y., Lan, X., He, Z., Chen, Z., Wang, Y.,...Yan, J (2012a). Therapeutic effect of forest bathing on human hypertension in the elderly. *Journal of Cardiology*, 60: 495–502.
- Mao, G., Lan, X., Cao, Y., Chen, Z., He, Z., Lv, Y.,...Yan, J. (2012b). Effects of short-term forest bathing on human health in a broad-leaved evergreen forest in Zhejiang Province, China. *Biomedical and Environmental Sciences*, 25: 317-324.
- Markevych, I., Tiesler, C.M.T., Fuertes, E., Romanos, M., Dadvand, P., Nieuwenhuijsen, M.J., Berdel, D. & Heinrich, J. (2014). Access to urban green spaces and behavioural problems in children: Results from the GINIplus and LISAplus studies. *Environment International*, 71: 29–35.
- Marselle, M. R., Irvine, K. N., Lorenzo-Arribas, A. & Warber, S.L. (2015). Moving beyond green: exploring the relationship of environment type and indicators of perceived environmental quality on emotional well-being following group walks. *International Journal of Environmental Research and Public Health*, 2(1):106–130. Epub 2014/12/30. <https://doi.org/10.3390/ijerph120100106> PMID: 25546275
- Marselle, M. R., Irvine, K. N. & Warber, S.L. (2013). Walking for well-being: are group walks in certain types of natural environments better for well-being than group walks in urban environments? *International Journal of Environmental Research and Public Health*, 10(11):5603–28. Epub 2013/11/01. <https://doi.org/10.3390/ijerph10115603> PMID: 24173142 67.
- Martin, L., Pahl, S. White, M. P. & May, J. (2019). Natural environments and craving: The mediating role of negative affect. *Health and Place*, 58: 102160.
- Matos, M. G., Santos, A., Fauvelet, C., Marta, F. & Evangelista, E. S. (2017). Surfing for social integration: mental health and well-being promotion through surf therapy among institutionalized young people. *Community Med Public Health Care*, 4: 026.

- Matthews, G., Jones, D. M. & Chamberlain, A. G. (1990). Refining the Measurement of Mood - the Uwist Mood Adjective Checklist. *British Journal of Psychology*, 81(1): 17-42.
- Mayer, F. S., & Frantz, C. M. (2004). The connectedness to nature scale: A measure of individuals' feeling in community with nature. *Journal of Environmental Psychology*, 24, 503–515.
- McCormick, R. (2017). Does Access to Green Space Impact the Mental Well-being of Children: A Systematic Review. *Journal of Pediatric Nursing*, 37: 3-7.
- McCracken, D. S., Allen, D. A. & Gow, A. J. (2016). Associations between urban greenspace and health-related quality of life in children. *Preventative Medicine Reports*, 3: 211–21.
- Mirošević, S., Klemenc-Ketiš, Z. & Selić, P. (2019). The 14-item Resilience scale as a potential screening tool for depression/anxiety and quality of life assessment: a systematic review of current research. *Family Practice*, 36(3): 262-268.
- Mitchell, R. (2013). Is physical activity in natural environments better for mental health than physical activity in other environments? *Social Science & Medicine*, 91:130–4. <http://dx.doi.org/10.1016/j.socscimed.2012.04.012>.
- Mitchell, R. & Popham, F. (2007). Greenspace, urbanity and health: Relationships in England. *Journal of Epidemiology and Community Health*, 61: 681-683.
- Mitchell, R. & Popham, F. (2008). Effect of exposure to natural environment on health inequalities: an observational population study. *The Lancet*, 372(9650), 1655-1660.
- Munir, M. W., Perälä, S. & Mäkelä, K. (2012). Utilization and Impacts of GPS Tracking in Healthcare: A Research Study for Elderly Care. *International Journal of Computer Applications*, 45(11): 35-37.
- Murphy, P. F., Miyazaki, Y., Detweiler, M. B. & Kim, K. Y. (2010). Longitudinal analysis of differential effects on agitation of a therapeutic wander garden for dementia patients based on ambulation ability. *Dementia*, 9, 355–373.
- Nakau, M., Imanishi, J., Imanishi, J., Watanabe, S., Imanishi, A., Baba, T.,.., Morimoto, Y. (2013). Spiritual care of cancer patients by integrated medicine in urban green space: A pilot study. *Explore (New York, NY)*, 9:87-90.
- Ngom, R., Gosselin, P, Blais, C. & Rochette, L. (2016). Type and proximity of green spaces are important for preventing cardiovascular morbidity and diabetes-a cross-sectional study for Quebec, Canada. *International Journal for Environmental Research and Public Health*, 13(4): 423.
- Nisbet, E. K., & Zelenski, J. M. (2011). Underestimating nearby nature: Affective forecasting errors obscure the happy path to sustainability. *Psychological Science*, 22: 1101-1106.

- Nisbet, E. K., Zelenski, J. M., & Murphy, S. A. (2009). The nature relatedness scale: Linking individuals' connection with nature to environmental concern and behavior. *Environment and Behavior*, 41, 715–740.
- Nutsford, D., Pearson, A.L.& Kingham, S. (2013). An ecological study investigating the association between access to urban green space and mental health. *Public Health*, 127: 1005–1011.
- Nutsford, D., Pearson, A.L., Kingham, S. & Reitsma, F. (2016). Residential exposure to visible blue space (but not green space) associated with lower psychological distress in a capital city. *Health & Place*, 39: 70–78.
- Panno, A., Carrus, G., Laforteza R., Mariani, L., & Sanesi, G. (2017). Nature-based solutions to promote human resilience and wellbeing in cities during increasingly hot summers. *Environmental Research*, 159: 249– 56.
<https://doi.org/10.1016/j.envres.2017.08.016> PMID: 28822309
- Paquet, C., Coffee, N. T., Haren, M. T., Howard, N. J., Adams, R. J., Taylor, A. W. & Daniel, M. (2014). Food environment, walkability, and public open spaces are associated with incident development of cardio-metabolic risk factors in a biomedical cohort. *Health & Place*, 28: 173-176.
- Park, B. J., Tsunetsugu, Y., Kasetani, T., Kagawa, T. & Miyazaki, Y. (2010). The physiological effects of Shinrin-yoku (taking in the forest atmosphere or forest bathing): evidence from field experiments in 24 forests across Japan. *Environmental Health and Preventative Medicine*, 15: 18-26.
- Pretty, J., Peacock, J., Sellens, M. & Griffin, M. (2005). The mental and physical health outcomes of green exercise. *International Journal of Environmental Health Research*, 15(5):319–37. <https://doi.org/10.1080/09603120500155963> PMID: 16416750
- Pritchett, R., Kemp, J., Wilson, P., Minnis, H., Bryce, G. & Gillberg, C. (2011). Quick, simple measures of family relationships for use in clinical practice and research. A systematic review, *Family Practice*, 28(2):172–187.
- Qin, X., Zhang, Y., Cai, Y., He, M., Sun, L., Fu, J.,....Huo, Y. (2013). Prevalence of obesity, abdominal obesity and associated factors in hypertensive adults aged 45–75 years. *Clinical Nutrition*, 32: 361–367.
- Rappe, E. & Topo, P. (2007). Contact with outdoor greenery can support competence among people with dementia. *Journal of Housing For the Elderly*, 21, 229–248.
- Reed, J.A. &, Hooker, S.P., 2012. Where are youth physically active? A descriptive examination of 45 parks in a southeastern community. *Childhood Obesity*, 8: 124–131.
- Reklaitiene, R., Grazuleviciene, R., Dedele, A., Virviciute, D., Vensloviene, J., Tamosiunas, A.,...Nieuwenhuijsen, M. J. (2014). The relationship of green space, depressive

symptoms and perceived general health in urban population. *Scandinavian Journal of Public Health*, doi:10.1177/1403494814544494.

Richardson, E. A. & Mitchell, R. (2010). Gender differences in relationships between urban green space and health in the United Kingdom. *Social Science & Medicine*, 71: 568e575.

Richardson, E. A., Mitchell, R., Hartig, T., de Vries, S., Astell-Burt & Frumkin, H. (2012) . Green cities and health: a question of scale? *Journal of Epidemiology and Community Health*, 66(2): 160-165.

Ritchie, S. D., Wabano, M. J., Corbiere, R. G., Restoule, B. M., Russell, K. C. & Young, N. L. (2015). Connecting to the Good Life through outdoor adventure leadership experiences designed for Indigenous youth. *Journal of Adventure Education and Outdoor Learning*, 15: 350–370.

Ritchie, S. D., Wabano, M. J., Russell, K., Enosse, L. & Young, N. L. (2014). Promoting resilience and wellbeing through an outdoor intervention designed for Aboriginal adolescents. *Rural Remote Health*, 14: 2523

Roe, J. & Aspinall, P. (2011). The restorative benefits of walking in urban and rural settings in adults with good and poor mental health. *Health & Place*, 17(1): 103-113.

Roe, J., Aspinall, P. A. & Ward Thompson, C. (2016). Understanding relationships between health, ethnicity, place and the role of urban green space in deprived urban communities. *International Journal of Environmental Research and Public Health*, 13:e681.

Roe, J.J., Ward Thompson, C., Aspinall, P.A., Brewer, M.J., Duff, E.I., Miller, D.,...Clow, A. (2013). Green space and stress: Evidence from cortisol measures in deprived urban communities. *International Journal of Environmental Research and Public Health*, 10: 4086–4103.

Rogerson, M., Brown, D.K., Sandercock, G., Wooller, J.-J. & Barton, J. (2016). A comparison of four typical green exercise environments and prediction of psychological health outcomes. *Perspectives in Public Health*, 136:171–180

Ruokolainen, L., Von Hertzen, L., Fyhrquist, N., Laatikainen, T., Lehtomaki, J., Auvinen, P. & Hanski, I. (2015). Green areas around homes reduce atopic sensitization in children. *Allergy*, 70:195-202.

Russell, E., Koren, G. Rieder, M & Van Uum, S. (2012). Hair cortisol as a biological marker of chronic stress: current status, future directions and unanswered questions. *Psychoneuroendocrinology*, 37(5): 589-601.

Rutter, M. (1970). Education, health and behaviour. Longman, Harlow.

- Sarkar, C., Gallacher, J.& Webster, C. (2013). Urban built environment configuration and psychological distress in older men: Results from the Caerphilly study. *BMC Public Health*, 13: doi:10.1186/1471-2458-13-695.
- Sbihi, H., Tamburic, L., Koehoorn, M. & Brauer, M. (2015). Greenness and incident childhood asthma: A 10-year follow-up in a population-based birth cohort. *American Journal of Respiratory and Critical Care Medicine*, 192: 1131-1133.
- Schijf, M., Allison, P. & Von Walk, K. (2017). Sail training: A systematic review. *Journal of Outdoor Recreation, Education, and Leadership*, 9(2):167–180.
- Schultz, P. W. (2002). Inclusion with nature: The psychology of human-nature relations. In P. Schmuck & W. P. Schultz (Eds.), *Psychology of sustainable development* (pp. 62–78). Norwell: Kluwer
- Son, K. C., Um, S. J., Kim, S. Y., Song, J. E. & Kwack, H. R. (2004). Effect of horticultural therapy on the changes of self-esteem and sociality of individuals with chronic schizophrenia. *Acta Horticulturae* (ISHS), 639: 185–9.
- Sturm, R.& Cohen, D. (2014). Proximity to urban parks and mental health. *The Journal of Mental Health Policy and Economics*, 17: 19–24.
- Swaddle, J.P., Calos, S.E. (2008). Increased avian diversity is associated with lower incidence of human West Nile infection: observation of the dilution effect. *PLoS One*, 3(6):e2488.
- Tamosiunas, A., Grazuleviciene, R., Luksiene, D., Dedele, A., Reklaitiene, R., Baceviciene, M.,...Nieuwenhuijsen, M. J. (2014). Accessibility and use of urban green spaces, and cardiovascular health: Findings from a Kaunas cohort study. *Environmental Health*, 13: 20.
- Tang, I., Tsai, Y., Lin, Y., Chen, J., Hsieh, C., Hung, S., ... Chang, C. (2017). Using functional Magnetic Resonance Imaging (fMRI) to analyze brain region activity when viewing landscapes. *Landscape and Urban Planning*, 162, 137–144.
- Taylor, A.F., Kuo, F. E.& W.C. Sullivan, W. C. (2002). Views of nature and self-discipline: evidence from inner city children. *Journal of Environmental Psychology*, 22: 49–63.
- Tillman, S., Tobin, D., Avison, W. & Gilliland, J. (2018). Mental health benefits of interactions with nature in children and teenagers: a systematic review. *Journal of Epidemiology and Community Health*, 72: 958-966.
- Toda, M., Den, R., Hasegawa-Ohira, M. & Morimoto K. (2013). Effects of woodland walking on salivary stress markers cortisol and chromogranin a. *Complementary Therapies in Medicine*, 21: 29-34.
- Triguero-Mas, M., Dadvand, P., Cirach, M., Martínez, D., Medina, A., Mompart, A.,... Nieuwenhuijsen, M. J. (2015). Natural outdoor environments and mental and physical

- health: relationships and mechanisms. *Environment International*, 77:35–41.
<https://doi.org/10.1016/j.envint.2015.01.012> PMID: 25638643
- Triguero-Mas, M., Donaire-Gonzalez, D., Seto, E., Valentín, A., Martínez, D., Smith, G.,... Nieuwenhuijsen, M. J. (2017). Natural outdoor environments and mental health: Stress as a possible mechanism. *Environmental Research*, 159:629–38.
<https://doi.org/10.1016/j.envres.2017.08.048> PMID: 28938204
- Twohig-Bennett, C. & Jones, A. (2018). The health benefits of the great outdoors: A systematic review and meta-analysis of greenspace exposure and health outcomes. *Environmental Research*, 166: 628-637.
- Ulrich, R. (1984). View through a window may influence recovery. *Science*, 224:224-225.
- Ulrich, R. S., Simons, R. F., Losito, B. D., Fiorito, E., Miles, M. A. & Zelson, M. (1991). Stress recovery during exposure to natural and urban environments. *Journal of Environmental Psychology*, 11: 201-230.
- Vanaken, G.-J. & Danckaerts, M. (2018). Impact of Green Space Exposure on Children's and Adolescents' Mental Health: A Systematic Review. *International Journal of Environmental Research and Public Health*, 15(12). pii: E2668. doi: 10.3390/ijerph15122668
- Vella, E. J., Milligan, B. & Bennett, J. L. (2013). Participation in outdoor recreation program predicts improved psychosocial well-being among veterans with post-traumatic stress disorder: a pilot study. *Military Medicine*, 178: 254–260
- Wang, X., Rodiek, S., Wu, C., Chen, Y. & Li, Y. (2016). Stress recovery and restorative effects of viewing different urban park scenes in Shanghai, China. Stress recovery and restorative effects of viewing different urban park scenes in Shanghai, China. *Urban Forestry and Urban Greening*, 15: 112-122.
- Ward Thompson, C., Aspinall, P., Roe, J. (2014) Access to Green Space in Disadvantaged Urban Communities: Evidence of salutogenic effects based on biomarker and self-report measures of wellbeing. In: Abbas MY, editor. Amer International Conference on Quality of Life, Aicqol2014. *Procedia Social and Behavioral Sciences*. 1532014: 10–22.
- Weich, S., Blanchard, M., Prince, M., Burton, E., Erens, B. & Sproston, K. (2002). Mental health and the built environment: Cross-sectional survey of individual and contextual risk factors for depression. *The British Journal of Psychiatry: the journal of mental science*, 180: 428–433.
- Weltin, A. M. & Lavin, R. P. (2012). The effect of a community garden on HgA1c in diabetics of Marshallese descent. *Journal of Community Health Nursing*, 29: 12-24.
- Wheeler, B.W., White, M., Stahl-Timmins, W. & Depledge, M.H. (2012). Does living by the coast improve health and wellbeing? *Health & Place*, 18: 1198–1201.

- Wheeler, B.W., Lovell, R., Higgins, S.L., White, M.P., Alcock, I., Osborne, N.J.,...Depledge, M.H. (2015). Beyond greenspace: an ecological study of population general health and indicators of natural environment type and quality. *International Journal of Health Geographics*, 14: 17.
- White, M.P., Alcock, I., Wheeler, B. W. & Depledge, M. H. (2013a). Coastal proximity, health and well-being: results from a longitudinal panel survey. *Health & Place*, 23:97–103
- White, M.P., Alcock, I., Wheeler, B. W. & Depledge, M. H. (2013b). Would you be happier living in a greener urban area? A fixed-effects analysis of panel data. *Psychological Science*, 24(6):920–8. <http://dx.doi.org/10.1177/0956797612464659>. 25.
- White, M. P., Elliott, L. R., Taylor, T., Wheeler, B. W., Spencer, A., Bone, A.,...Fleming, L. E. (2016). Recreational physical activity in natural environments and implications for health: A population based cross-sectional study in England *Preventative Medicine*, 91: 383-38.
- White, M.P., Pahl, S., Ashbully, K., Herbert, S.& Depledge, M.H. (2013c). Feelings of restoration from recent nature visits. *Journal of Environmental Psychology*,35: 40–51.
- White, M.P., Pahl, S., Wheeler, B. W., Depledge, M. H. & Fleming, L. E. (2017). Natural environments and subjective wellbeing: Different types of exposure are associated with different aspects of wellbeing. *Health & Place*, 45:77–84.
- White, M.P., Wheeler, B.W., Herbert, S., Alcock, I. & Depledge, M.H. (2014). Coastal proximity and physical activity: is the coast an under-appreciated public health resource? *Preventative Medicine*, 69: 135–140.
- Wilson, L.-A.M., Giles-Corti, B., Burton, N.W., Giskes, K., Haynes, M. & Turrell, G. (2011). The association between objectively measured neighborhood features and walking in middle-aged adults. *American Journal of Health Promotion*, 25: e12–21.
- Witten, K., Hiscock, R., Pearce, J.& Blakely, T. (2008). Neighbourhood access to open spaces and the physical activity of residents: a national study. *Preventative Medicine*, 47: 299–303.
- Wood, L., Hooper, P., Foster, S. & Bull F. (2017). Public green spaces and positive mental health—investigating the relationship between access, quantity and types of parks and mental wellbeing. *Health & Place*, 48:63–71.
- Wood, C. L., McInturff, A., Young, H. S., Kim, D. & Lafferty, K. D. (2017). Human infectious disease burdens decrease with urbanization but not with biodiversity. *Philosophical Transactions of the Royal Society B: Biological Sciences*,372(1722):20160122.
- Wu, Y.-T., Prina, A. M., Jones, A. P., Barnes, L. E., Matthews, F. E. & Brayne, C. (2015). Community environment, cognitive impairment and dementia in later life: Results from the cognitive function and ageing study. *Age and Ageing*, 44: 1005-1011.

- Ying, Z., Ning, L.D.& Xin, L. (2015). Relationship between built environment, physical activity, adiposity, and health in adults aged 46–80 in shanghai, China. *Journal of Physical Activity and Health*, 12: 569–578.
- Younan, D., Tuvblad, C., Li, L., Wu, J., Lurmann, F., Franklin, M.,..Chen, J. C . (2016). Environmental Determinants of Aggression in Adolescents: Role of Urban Neighborhood Greenspace. *Journal of the American Academy of Child and Adolescent Psychiatry*, 55, 591–601.
- Young, A. F., Russell, A. & Powers, J. R. (2004). The sense of belonging to a neighbourhood: can it be measured and is it related to health and well being in older women? *Social Science & Medicine*, 59: 2627–2637.
- Young, C., Laurent, O., Chung, J. H. & Wu, J. (2016). Geographic distribution of healthy resources and adverse pregnancy outcomes. *Maternal and Child Health Journal*, 20: 1673-1679.
- Zelenski, J. M. & Nisbet, E.K. (2014). Happiness and Feeling Connected: The Distinct Role of Nature Relatedness. *Environment and Behavior*, 46(1):3–23.
<http://dx.doi.org/10.1177/001391>.